



EUROPEAN COMMISSION
DIRECTORATE-GENERAL FOR HEALTH AND FOOD SAFETY

Brussels, 19.09.2018

COMMISSION DATABASE OF HOST PLANTS FOUND TO BE SUSCEPTIBLE TO *XYLELLA FASTIDIOSA* IN THE UNION TERRITORY – UPDATE 11

List of host plants referred to in Article 1(b) of Commission Implementing Decision (EU) 2015/2417 of 17 December 2015, which have been found to be susceptible to *Xylella fastidiosa* in the Union territory, or, where a Member State has demarcated an area with regard to only one or more subspecies of *Xylella fastidiosa* pursuant to the second subparagraph of Article 4(1) of that Decision, as having been found to be susceptible to that or those subspecies.

Host plant found to be susceptible to *Xylella fastidiosa* subsp. *fastidiosa*

Cistus monspeliensis L.

Erysimum

Juglans regia L.

Prunus avium L.

Streptocarpus

Vitis vinifera L.

Host plants found to be susceptible to *Xylella fastidiosa* subsp. *multiplex*

Acacia dealbata Link

Acacia saligna (Labill.) Wendl

Acer pseudoplatanus L.

Anthyllis hermanniae L.

Artemisia arborescens L.

Asparagus acutifolius L.

Calicotome villosa (Poiret) Link

Cercis siliquastrum L.

Cistus creticus L.

Cistus monspeliensis L.

Cistus salviifolius L.
Convolvulus cneorum L.
Coronilla glauca L.
Coronilla valentina L.
Cytisus scoparius (L.) Link
Cytisus villosus Pourr.
Euryops chrysanthemoides (DC.) B.Nord.
Ficus carica L.
Fraxinus angustifolia Vahl
Genista x spachiana (syn. *Cytisus racemosus* Broom)
Genista corsica (Loisel.) DC.
Genista ephedroides DC.
Grevillea juniperina R. Br.
Hebe
Helichrysum italicum (Roth) G. Don
Lavandula angustifolia Mill.
Lavandula dentata L.
Lavandula stoechas L.
Lavandula x allardii (syn. *Lavandula x heterophylla*)
Lavandula x intermedia
Lonicera japonica Thunb.
Medicago sativa L.
Metrosideros excelsa Sol. ex Gaertn.
Myrtus communis L.
Olea europaea L.
Pelargonium graveolens L'Hér
Phagnalon saxatile (L.) Cass.
Prunus avium (L.) L.
Prunus cerasifera Ehrh.
Prunus domestica L.
Prunus cerasus L.
Quercus suber L.
Rhamnus alaternus L.
Rosa canina L.

Spartium junceum L.

Westringia fruticosa (Willd.) Druce

Host plants found to be susceptible to *Xylella fastidiosa* subsp. *pauca*

Acacia saligna (Labill.) Wendl

Asparagus acutifolius L.

Catharanthus

Chenopodium album L.

Cistus creticus L.

Dodonaea viscosa Jacq.

Eremophila maculata F. Muell.

Erigeron sumatrensis Retz.

Erigeron bonariensis L.

Euphorbia terracina L.

Grevillea juniperina L.

Heliotropium europaeum L.

Laurus nobilis L.

Lavandula angustifolia Mill.

Lavandula stoechas L.

Myrtus communis L.

Myoporum insulare R. Br.

Olea europaea L.

Pelargonium x fragrans

Phillyrea latifolia L.

Prunus avium (L.) L.

Rhamnus alaternus L.

Spartium junceum L.

Vinca

Westringia fruticosa (Willd.) Druce

Westringia glabra L.

Host plants found to be susceptible to *Xylella fastidiosa* - irrespective of the subspecies -

Calicotome spinosa (L.) Link

Cistus albidus L.

Coffea

Genista lucida Cambess.

Helicrysum stoechas (L.) Moench

Lavandula dentata L.

Lavandula x *chaytorae*

Nerium oleander L.

Polygala myrtifolia L.

Prunus dulcis (Mill.) D.A. Webb

Rosmarinus officinalis L.

Teucrium capitatum L.

Veronica elliptica L.